

### MATERIAL SAFETY DATA SHEET

#### I. IDENTIFICATION

Product Name: SCENTAWAY  
Chemical Name: Oxidation Catalyst  
Cas Number: Mixture  
Emergency Telephone Number: (618) 524-9394

#### II. COMPONENTS AND HAZARD INFORMATION

Component	CAS NO. of Component	TLV of Component	OSHA Pel	Approximate Concentration
-----------	----------------------	------------------	----------	---------------------------

No Hazardous Components under 29CFR 1910.1200, NTP,ACGIH,NFPA, IARC

DOT Hazard Classification: Liquid, non-hazardous  
Hazardous Materials Identification System (HMIS)  
Health 1 Flammability 0 Reactivity 0 BASIS Information furnished to Laidlaw  
TLV for Total Product Not Determined

#### III. PHYSICAL DATA

Boiling Point	212° F	Vapor Density	N/A
Vapor Pressure	N/A	Percent Volatiles	N/A
Specific Gravity	1.074	Evaporation Rate	N/A

#### IV. FIRE AND EXPLOSION DATA

Flash Point (°F TCC) Not Determined  
Extinguishing Media Water, fog, dry foam, carbon dioxide

Special Firefighting Procedure None

Unusual Fire & Explosion Hazards Close containers. May build pressure and rupture.

National Fire Protection Association (NFPA -) Hazard Identification  
Health 1 Flammability 0 Reactivity 0 BASIS Information furnished to Laidlaw.

#### V. HEALTH HAZARD DATA

Effects of Overexposure:  
Eyes: May cause mild irritation.  
Skin: May cause mild irritation. May be absorbed through skin.  
Breathing: Airborne concentrations of mist or spray may be irritating to nose and throat.  
Swallowing: Possibly irritating to mucous membranes of mouth, throat, esophagus, and stomach.

# SCENTAWAY

## First Aid Procedures:

- Swallowing: Never give anything by mouth to an unconscious person. Give large quantities of water and induce vomiting. If vomiting occurs spontaneously, keep airway clear. Get medical help if symptoms persist.
- Skin: Immediately flush with water.
- Inhalation: Move person to fresh air. If breathing stops, give artificial respiration. Get medical attention.
- Eyes: Immediately flush with water for at least 15 minutes.

Health studies have shown that health risks vary from person to person. As a precaution exposure to liquids, vapors, misty fumes or dust should be minimized.

## VI. REACTIVITY DATA

- Hazardous Polymerization: Cannot occur.
- Stability: Stable.
- Incompatibility: Strong acids, oxidizers, and alkalis.
- Hazardous Decomposition Products: None.

## VII. SPILL OR LEAK PROCEDURES

Steps to be taken in case material is released or spilled:

Stop spill. Contain spill. Absorb on sand, sawdust, vermiculite, etc. and sweep up. Place in a closed, labeled, and approved container for proper disposal. Flush area with water.

## VIII. PROTECTION AND PRECAUTIONS

Respiratory Protection: Use NIOSH approved high efficiency filter respirator for dusts and/or mists.

- Ventilation : Adequate local exhaust ventilation, or other controls must be used.
- Protective Gloves: Use gloves coated with rubber or PVC.
- Eye Protection : Chemical splash goggles and face shield should be worn.
- Other Protective Equipment: Hard hats, rubber boots, and impervious clothing should be worn when handling this product.

Storage: Store upright in a dry place at room temperature. Protect from freezing. Keep away from open flame, ignition sources or high heat.

## IX. PRECAUTIONS OR OTHER COMMENTS

Precautions to be taken in handling and storing: Maintain good housekeeping. Avoid contact with eyes. Wash thoroughly after handling. Use with adequate ventilation. Keep from freezing.

The information and recommendations accumulated herein are believed to be of the best information furnished to Laidlaw as of the date issued. Laidlaw does not warrant or guarantee their reliability or accuracy, and shall not be liable for any loss or damage arising out of the use thereof.

HMIS and NFPA recommended ratings are based upon the criteria supplied by the developers of these systems together with information furnished to Laidlaw.